



High-Quality Innovative



ABOUT US



FACTORY STRENGTH

Founded in September 2002, our company has dedicated two decades to specializing in the seasonal appliance industry.

We integrate mold development for sheet metal parts, product R&D, manufacturing, processing, and sales into a comprehensive operation.

With a production area of 17,000 square meters and a workforce of over 200 employees, We are a distinguished supplier to renowned domestic clients such as Airmate, Bear, Haier, and Westinghouse.

Our products hold multiple domestic and international certifications, Management System. At Baopeng, we believe survival depends on quality and growth springs from innovation. Upholding quality as our absolute red line, we are committed to providing customers with safe and satisfactory products.

CONTENTS.



01. About us

03. Mini Fan

05. Fan

10. Air Cooler Fan





USB-1

6-inch Desk Fan

- 5V/1A
- Power: 5W
- Battery: 2000mAh
- 4 wind speeds
- 45° manual vertical tilt
- Includes 1m USB-C cable
- Material: ABS

G.W/N.W(kg)	Carton Size(mm)
0.53/0.42	710*570*350 (20 units)
Product Size(mm)	Package Size(mm)
165*265*128	175*275*137



AM-1

8-inch Clip & Desk Fan

- 5V/1A
- Power: 9W
- Battery: 2000mAh
- Clip/Desk/Hangable
- 3 wind speeds
- 360° manual vertical tilt
- 360° manual horizontal rotation
- Includes 1m USB-C cable
- Material: ABS

G.W/N.W(kg)	Carton Size(mm)
0.7/0.6	790*580*450 (20 units)
Product Size(mm)	Package Size(mm)
225*260*150	235*270*160



AM-3/AM-4

Mechanical Oscillating Desk Fan
Remote Control Oscillating Desk Fan

- 220V/60Hz
- Power: 45W
- Desk/wall mountable
- 3 wind speeds
- 90° manual vertical tilt
- 90° automatic horizontal oscillation
- 1.4m exposed power cord
- Material: ABS/PP

G.W/N.W(kg)	Carton Size(mm)
1.7/1.2	450*620*450 (8 units)
Product Size(mm)	Package Size(mm)
250*310*200	260*320*210



AM-2

Telescopic Desk Fan

- 5V/1A
- Power: 9W
- Battery: 2000mAh
- Desk/Floor use
- 3 wind speeds
- 360° manual vertical tilt
- Includes 1m USB-C cable
- Material: ABS
- Aluminum Telescopic Rod

G.W/N.W(kg)	Carton Size(mm)
1.35/1.3	810*460*430 (20 units)
Product Size(mm)	Package Size(mm)
230*820*230	230*420*80



AM-F1

USB Clip-on Oscillating Fan

- 5V/10W
- Battery: 2000mAh
- Clip/Desk use
- Brushless DC motor
- 4-blade high-angle design
- Digital display
- 5 wind speeds
- Material: ABS

G.W/N.W(kg)	Carton Size(mm)
0.75/0.65	860*400*390 (20 units)
Product Size(mm)	Package Size(mm)
180*260*130	190*195*170



- 220V/35W
- Battery: 2000mAh
- Up and down 90-degree manual oscillation
- 3 wind speeds: H/M/L
- Pure copper wire shaded-pole motor
- Material: ABS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
1.3/1	183*121*200	203*150*225

FT-20C

6-inch Desktop AC Wall-mounted
Dual-purpose Mechanical Circulation Fan



- 220V/50W
- 3 wind speeds: H/M/L
- Pitch up and down manually
- Three large-inclination-angle turbine blades
- Pure copper wire covers the electrode
- Material: PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
2.5/1.9	290*190*340	320*220*360

FT-20B

8-inch AC Mechanical Circulating Fan



- DC 5V/5W
- Battery: 4000mAh
- USB charging
- 3 wind speeds
- Press and hold about 3 seconds for oscillation
- Pitch up and down manually
- DC pure copper wire motor
- Horizontal oscillation approximately 180 degrees
- Five plastic fan blades
- Material: ABS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
0.8/0.7	185*150*230	195*195*195

FT-20C

6-inch USB Wall-mounted
Charging Circulating Fan



- DC 5V/5W
- USB charging
- 3 wind speeds (FT-20D)
- 2 wind speeds (FT-20H)
- No oscillation (FT-20H)
- Pitch up and down manually
- Brushless DC pure copper wire motor
- Five plastic fan blades
- Material: ABS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
0.8/0.7	185*150*230	195*195*195

FT-20D

6-inch USB Mechanical
Circulating Fan

FT-20H

6-inch USB Dual-purpose
Electronic Circulating Fan for Both Table and Wall



FD201R-D

10-inch DC Circulator Fan

- 24V/35W
- LED touchscreen
- 32 wind speeds
- Airflow could reach 8 meters in high speed
- Horizontal and vertical oscillation
- Timer: 15 hours
- Strong/soft wind
- USB charge
- Could use 6 hours for outdoors
- Material: ABS

G.W/N.W(kg)
5/3.5
Product Size(mm)
310*310*920
Package Size(mm)
960*330*335



FZ302R

14-inch DC Circulator Fan

- 24V/35W
- LED touchscreen
- 32 wind speeds
- Airflow could reach 8 meters in high speed
- Horizontal and vertical oscillation
- Timer: 15 hours
- Strong/Soft/Natural/Sleep
- USB charge
- Could use 6 hours for outdoors
- Material: ABS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
4/2.9	350*350*910	835*175*362



FD201R-F

10-inch DC Circulator Fan

- 24V/35W
- LED touchscreen (FD201R-E)
- LED display (FD201R-F)
- 32 wind speeds
- Foot-press button (FD201R-F)
- Airflow could reach 8 meters in high speed
- Horizontal and vertical oscillation
- Timer: 15 hours
- Strong/soft wind
- Adjustable height
- Material: ABS

(FD201R-F)

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
4.8/3.8	310*310*850	675*330*340

(FD201R-E)

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
4.8/3.8	310*310*770	675*335*340



FD201R-L

10-inch DC Circulator Fan

- 24V/35W
- Screen display
- 32 wind speeds
- Airflow could reach 8 meters in high speed
- Horizontal and vertical oscillation
- Timer: 15 hours
- Strong/soft wind
- Adjustable height
- Material: ABS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
4.8/3.8	310*310*850	675*330*340

FD201R-E

10-inch DC Circulator Fan

FD201R-S

10-inch DC Circulator Fan



- 220V/50Hz
- Power: 25W
- Remote Control
- 24 wind speeds
- Timer: 12 hours
- 100% pure copper brushless motor
- Max Air Speed: 5.7 m/s
- Quiet operation
- Manually adjustable/removable pole height
- Material: ABS/PP

G.W/N.W(kg)	Height(mm)	Base Diameter(mm)	Package Size(mm)
3.5/2.8	925	335	485*175*345

FS5B7-A1R

Electronic DC Fan



- Table/floor dual-use, gold ring stylish design
- Electronic touch+remote control
- 24 wind speeds (DC)
- 8 wind speeds (AC)
- Timer: 9 hours
- LED display
- Night light function
- Negative ion purification on startup (DC)
- 8-direction oscillation, whole-room air circulation
- 8-inch antibacterial fan blade, with filter and aroma box (DC)
- 7-inch antibacterial fan blade, with aroma box (AC)
- Ultra-thin 8-key remote control
- Single box yellow carton, passes 1-meter drop test
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
5.28/4.25	330*338*1080	650*255*370

FXH1808R

AC/DC Floor Circulating Fan



XH121F

AC Desk Circulator Fan

XH121E

DC Desk Circulator Fan

- 220V/50W (XH121F)
- 220V/30W (XH121E)
- Touchscreen
- 3 wind speeds (XH121F)
- 32 wind speeds (XH121E)
- Airflow could reach 7 meters in high speed (XH121F)
- Airflow could reach 8 meters in high speed (XH121E)
- Horizontal and vertical oscillation
- Timer: 15 hours
- Material: ABS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
4.4/3.25	310*310*370	350*350*410



XH1804J

8-inch AC Circulator Fan

- 220V/50W
- AC
- Mechanical control
- 3 wind speeds
- Horizontal oscillation
- Pitch up and down manually
- Material: ABS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
2.7/1.9	320*190*340	330*200*355



FD040B

Ceiling-mounted Fan

- 220V/50W
- 3 wind speeds: H/M/L
- Automatic ventilation around 360 degrees
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
3.6/2.9	445*445*360	470*380*470



FS-40R

16-inch Remote Control Floor/ Deskfan

- 220V/50Hz
- Power: 65W
- 3 wind speeds: H/M/L
- Timer: 15 hours
- Horizontal oscillation
- Pitch up and down manually
- Steel tube can be removed
- Use on desk/floor
- Material: ABS/PP

G.W/N.W(kg)
7/6
Product Size(mm)
410*410*1390
Package Size(mm)
650*220*500



FS-40J

16-inch Mechanical Floor/Desk fan

- 220V/50Hz
- Power: 65W
- 3 wind speeds: H/M/L
- Horizontal oscillation
- Pitch up and down manually
- Steel tube can be removed
- Use on desk/floor
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
6.8/5.8	410*410*1390	650*220*500



FS-617

16-inch Mechanical Floor Fan

FS-40A

16-inch Mechanical Floor Fan

- 220V/50Hz
- Power: 65W
- 3 wind speeds: H/M/L
- Timer: 1 hours
- Horizontal oscillation
- Pitch up and down manually
- Adjustable height
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
6.7/5.6	410*410*1390	650*220*500



FS-40B

16-inch Mechanical Floor Fan

- 220V/50Hz
- Power: 65W
- 3 wind speeds: H/M/L
- Timer: 15 hours
- Horizontal oscillation
- Pitch up and down manually
- Adjustable height
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
6.7/5.6	410*410*1390	650*220*500



- 220V/50Hz
- 3 wind speeds: H/M/L
- Timer: 15 hours
- Horizontal oscillation
- Pitch up and down manually
- Adjustable height
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
6.7/5.6	410*410*1390	650*220*500

FT-40A

14-inch Dual-purpose Deck and Floor Remote-control Fan



- 220V/50W
- 3 wind speeds: H/M/L
- Timer: 1 hour
- Horizontal oscillation
- Pitch up and down manually
- Adjustable height
- Fan blade: AS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
4.5/3.6	410*370*1050	620*180*430

FT-35B

14-inch Mechanical Floor-standing Fan



- 220V/50W
- 3 wind speeds: H/M/L
- Timer: 15 hours
- Horizontal oscillation
- Pitch up and down manually
- Adjustable height
- Material: ABS/PP
- Fan blade: AS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
4.5/3.6	410*370*1050	620*180*430

FT-35R

14-inch Remote Control Floor-standing Fan




- 220V/50W
- 3 wind speeds: H/M/L
- Timer: 1 hour
- Horizontal oscillation
- Pitch up and down manually
- Adjustable height
- Material: ABS/PP
- Fan blade: AS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
4.5/3.6	410*370*1050	620*180*430

FT-35A

14-inch Mechanical Floor-standing Fan



- 220V/50W
- 3 wind speeds
- Timer: 1 hour
- Automatic ventilation around 360 degrees
- Material: PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
2/1.4	320*130*380	340*190*410


KYT-25B
10-inch Mechanical Desktop Fan



- 220V/50W
- 3 wind speeds: H/M/L
- Timer: 1 hour
- Horizontal oscillation
- Pitch up and down manually
- Material: ABS/PP
- Fan blade: AS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
2.96/2.4	350*250*520	430*250*350

FT-30E
10-inch Mechanical Desktop Fan



- 220V/50W
- 3 wind speeds: H/M/L
- Timer: 1 hour
- Automatic ventilation around 360 degrees
- Pitch up and down manually
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
3.4/2.8	415*200*570	440*220*590

KYT-30B
14-inch Rotary Electric Fan



- 220V/50W
- 3 wind speeds: H/M/L
- Timer: 1 hour
- Automatic ventilation around 360 degrees
- Pitch up and down manually
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
3.9/3.1	520*360*600	540*380*620

KYT-40B
16-inch Rotary Electric Fan

Breathe Purer, Live Fresher

Advanced Air Purification

Built-in Negative
Ion Generator

Concentration
≥5 Million Ions/cm³

Purification Efficiency
Up to 92%

AeroChill



Experience Superior Cooling

Revolutionary 3D Stereo Cooling

- Three-Sided Air Intake Design
- Heat Exchange Area Increased By 2.8X
- Efficient Honeycomb Water Circulation System



ZLF-925-1

DC Inverter Cooling Fan (Regular)

ZLF-925-2

24V DC Inverter Charging Cooling Fan
(can be used for both indoor and outdoor)

ZLF-925-3

DC Inverter Cooling Fan with Night Light

- DC inverter 65W
- Digital display
- 32 wind speeds
- Timer: 15 hours
- Left and right automatic oscillating
- Pitch up and down manually
- Air inlet from three sides
- Water tank capacity: 35L
- Add water on top
- The 21700 battery is suitable for outdoor use and can be charged freely via a USB port (ZLF-925-2)
- Can be equipped with solar panels (ZLF-925-2)
- Night light (ZLF-925-3)
- 360° wheel movement
- Water circulation humidification
- The water tank can be removed and placed on top to reduce its volume
- Material: ABS

Model	G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
ZLF-925-1	9.9/7.8	460*350*1070	490*390*800
Model	G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
ZLF-925-2	10.9/8.8	460*350*1070	490*390*800
Model	G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
ZLF-925-3	9.9/7.8	460*350*1070	490*390*800



FL-926-3

DC Inverter Cooling Fan

- DC inverter
- Digital display
- 32 wind speeds
- 360-degree long-distance wide-angle wind supply
- Timer: 15 hours
- Air inlet from three sides
- Water tank capacity: 15L
- Add water on top
- 360° wheel movement
- Anion purification
- Water circulation humidification
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
13.5/11	410*410*1215	455*455*1250



FL-926

Remote-controlled Upper
and Lower Dual Cooling Fan

- 220V/50Hz
- Digital display
- Double wind wheels
- 3 wind speeds: H/M/L
- Modes: Sleep/Natural/Normal
- Timer: 15 hours
- Left and right automatic oscillating
- Pitch up and down manually
- Air inlet from three sides
- Water tank capacity: 15L
- 360° wheel movement
- Anion purification
- Water circulation humidification
- Material: ABS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
18/14.8	410*410*1230	455*455*1265




FTS-01A

Air Cooler Fan

- 220V/50Hz
- Digital display
- 3 wind speeds: H/M/L
- Modes: Sleep/Natural/Normal
- Timer: 15 hours
- Left and right automatic oscillating
- Pitch up and down manually
- Water tank capacity: 8L
- 360° wheel movement
- Anion purification
- Water circulation humidification
- Material: ABS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
9.9/8	300*240*1120	350*280*1150



FT-R10

Tower fan

- 220V/45W
- AC
- Infrared remote control
- Touch control
- LED digital display
- Airflow: 8 Speeds, with oscillation
- Modes: Sleep/Natural/Normal
- Timer: 8 hours
- Removable and washable air inlet grille
- Power cut-off protection when removing the air inlet grille
- Auto screen-off after 30 seconds
- Power-off memory function
- Auto shut-off after 24 hours of inactivity
- Material: ABS

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
5/3.9	312*312*1057	220*215*1100



FL-920
Air Cooler Fan

- 220V/50Hz
- 3 wind speeds: H/M/L
- Left and right automatic oscillating
- Up and down automatic oscillating
- Tank capacity: 8L
- 360° wheel movement
- Water circulation humidification
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
8.2/6.4	375*300*785	405*330*815



FL-916
Air Cooler Fan

FL-929
Air Cooler Fan

- 220V/50Hz
- Button-pressed screen
- 3 wind speeds: H/M/L
- Modes: Sleep/Natural/Normal
- Timer: 15 hours
- Left and right automatic oscillating
- Up and down automatic oscillating
- Tank capacity: 12L
- 360° wheel movement
- Anion purification
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
11.8/10	400*350*920	430*380*600



FL-928
Air Cooler Fan

- 220V/50Hz
- Button-pressed screen
- Upper and lower double wind wheels
- 3 wind speeds: H/M/L
- Modes: Sleep/Natural/Normal
- Timer: 15 hours
- Left and right automatic oscillating
- Pitch up and down manually
- Tank capacity: 12L
- Add water up and down
- 360° wheel movement
- Anion purification
- Also have warm and cool type
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
8.5/7.2	390*335*770	420*360*820



FL-918
Air Cooler Fan

- 220V/50Hz
- Digital display
- 3 wind speeds: H/M/L
- Modes: Sleep/Natural/Normal
- Timer: 15 hours
- Left and right automatic oscillating
- Up and down automatic oscillating
- Tank capacity: 12L
- 360° wheel movement
- Anion purification
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
13.5/11	430*380*1107	460*400*1137



- 220V/50Hz
- 3 wind speeds: H/M/L
- Left and right automatic oscillating
- Pitch up and down manually
- Air inlet from three sides
- Water tank capacity: 60L
- 360° wheel movement
- Water circulation humidification
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
18/16	660*450*1220	680*470*1260

FL-150B-A
Air Cooler Fan



- 220V/50Hz
- 3 wind speeds: H/M/L
- Left and right automatic oscillating
- Pitch up and down manually
- Air inlet from three sides
- Water tank capacity: 50L
- 360° wheel movement
- Water circulation humidification
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
17/14.8	620*430*950	650*460*980

FL-905
Air Cooler Fan



- 220V/50Hz
- Digital display
- 3 wind speeds: H/M/L
- Modes: Sleep/Natural/Normal
- Timer: 15 hours
- Left and right automatic oscillating
- Pitch up and down manually
- Air inlet from three sides
- Water tank capacity: 60L
- Add water on top
- 360° wheel movement
- Anion purification
- Water circulation humidification
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
18/16	660*450*1220	680*470*1260

FL-935
Air Cooler Fan



- 220V/50Hz
- Digital display
- 3 wind speeds: H/M/L
- Modes: Sleep/Natural/Normal
- Timer: 15 hours
- Left and right automatic oscillating
- Pitch up and down manually
- Air inlet from three sides
- Add water on top
- Water tank capacity: 50L
- 360° wheel movement
- Anion purification
- Water circulation humidification
- Material: ABS/PP

G.W/N.W(kg)	Product Size(mm)	Package Size(mm)
19.5/17.3	620*410*1120	650*450*1160

FL-922
Air Cooler Fan



Contact us

✉ info@nbbaopeng.com

☎ +86 15921162693

📞 +852 61547641

📍 No.118 Guyao Road, Zhangqi Town, Cixi City,
Zhejiang Province, 315313, China

Website

www.nbbaopeng.com